

BANDING MATRIX

| Banding definitions | | Band | | | | | | |
|----------------------|---|------|-----|-----|-----|---------------------------------|---------------------------------|------|
| | | 1 | 1A | 2 | 2A | 3 | 4 | 5 |
| Therapies | Maximum number of total days of IV antibiotics | 0 | 14 | 28 | 56 | 84 | 112 | ≥113 |
| | Nebulised antibiotics (<i>Pseudomonas</i> infection) | | Yes | | | | | |
| | Long-term (>3 months) nebulised antibiotics <u>or</u> DNase | | | Yes | | | | |
| | Long-term (>3 months) nebulised antibiotics <u>and</u> DNase | | | | Yes | | | |
| Hospitalisations | Maximum numbers of days in hospital | 0 | 7 | 14 | 14 | 57 | 112 | ≥113 |
| Supplemental feeding | Nasogastric feeds | | | | Yes | | | |
| | Gastrostomy | | | | | Yes | | |
| Complications | CF Related Diabetes <u>or</u> ABPA w/o other complications | | | | Yes | | | |
| | CF Related Diabetes <u>and</u> ABPA | | | | | Yes and (FEV ₁ ≥60%) | Yes and (FEV ₁ <60%) | |
| | Massive Haemoptysis <u>or</u> Pneumothorax | | | | | Yes and (FEV ₁ ≥60%) | Yes and (FEV ₁ <60%) | |
| | CF Related Diabetes <u>and</u> Gastrostomy | | | | | Yes and (FEV ₁ ≥60%) | Yes and (FEV ₁ <60%) | |
| | Non Tuberculous mycobacterium treated or difficult to treat infections (eg MRSA or Cepacia) requiring other nebulised antibiotics eg Meropenem, Cayston , Vancomycin. | | | | | Yes | | |